

00862.002851.



colc

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)	
	:	Examiner: C. Odom
TATSUYA YAGUCHI)	
	:	Group Art Unit: 2634
Appl. No.: 09/323,020)	
	:	
Filed: June 1, 1999)	
	:	
For: RECEPTION APPARATUS)	
	:	
U.S. Patent No.: 6,980,584)	
	:	October 5, 2006
Issued: December 27, 2005)	

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

LETTER CALLING ATTENTION TO ERRORS IN PATENT

Sir:

The following minor errors have been noted in the above-identified patent:

COLUMN 2:

Line 21, "calculated" should read -- is calculated --.


COLUMN 6:

Line 29, "vector a" should read -- vector a --.

These errors appear to be relatively insignificant and, therefore, we do not believe it is necessary to request a Certificate of Correction. However, it is requested that this paper be placed in the filewrapper of the above-identified patent.

Patentee's undersigned attorney may be reached in our Costa Mesa,
California office by telephone at (714) 540-8700. All correspondence should be directed to
our new address given below.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Michael K. O'Neill", written over a horizontal line.

Michael K. O'Neill

Attorney for Patentee

Registration No.: 32,622

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
Facsimile: (212) 218-2200

CA_MAIN 120360v1